



TECHNICAL DATA SHEET

SIKA SILENT LAYER MAT 03

16.66M ROLL

Sika Silent Layer Mat is a footfall sound reducing polyethylene mat for use with SikaBond gun grade adhesives. 1 meter rolls, 3mm thick, available in 2 lengths.

Buy SIKA SILENT LAYER MAT 03 16.66M ROLL at
<https://www.spcsupplies.com/products/sika-silent-layer-mat-03-16-66m-roll/>

SIKA - SPC SUPPLIES

Waterproofing Supplies:

<https://www.spcsupplies.com/shop/waterproofing/>

Admixtures and Building Chemical Supplies:

<https://www.spcsupplies.com/shop/admixtures-and-building-chemicals/>

Flooring and wall finishing Supplies:

<https://www.spcsupplies.com/shop/flooring-and-wall-finishing/>

Adhesives, Sealants and Filler Supplies:

<https://www.spcsupplies.com/shop/adhesives-sealants-and-fillers/>

Wood Preservative Supplies:

<https://www.spcsupplies.com/shop/wood-preservatives/>

Sika Concrete Repair Products and Concrete Protection Products:

<https://www.spcsupplies.com/shop/concrete-repair-and-protection/>

Partner Links:

[SD Sealants](https://www.sdsealants.co.uk/) - <https://www.sdsealants.co.uk/>

[Bettamix Concrete Manchester](http://www.bettamixconcretemanchester.co.uk) - <http://www.bettamixconcretemanchester.co.uk>

[Concrete Chemical Admixtures](http://www.concretechemicaladmixtures.com) - <http://www.concretechemicaladmixtures.com>

SIKA Silent Layer Mat

Colour	Product Code	Pack Size	Box Qty

Product Description

Benefits

- Reduce walking sound
- Wood floor bonded directly to sub floor
- No outwearing of mat
- Can be walked on during installation.
- Quick and easy to lay
- Lower adhesive consumption.
- Suitable for common types of wood floors.
- Compensation of small substrate unevenness.

Areas For Use

-
-
-
-

Application

Specific Data

TEST	RESULT
	R R R
	R R R
	R

Health & Safety**Storage****Shelf Life**

The technical data contained herein is based on our present knowledge and experience and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings that result from technological changes or research between the date of issue of this document and the date the product is acquired. Before using the product, the user should carry out any necessary tests in order to ensure that the product is suitable for the intended application. Moreover, all users should contact the seller or the manufacturer of the product for additional technical information concerning its use if they think that the information in their possession needs to be clarified in any way, whether for normal use or a specific application of our product. Our guarantee applies within the context of the statutory regulations and provisions in force, current professional standards and in accordance

with the stipulations set out in our general sales conditions. The information detailed in the present technical data sheet is given by way of indication and is not exhaustive. The same applies to any information provided verbally by telephone to any prospective or existing customer.