



TECHNICAL DATA SHEET

SIKA BRICK & PATIO CLEANER 5L

Sika Brick and Patio Cleaner is a general purpose acid based cleaning solution for brickwork, concrete and paving.

Buy SIKA BRICK & PATIO CLEANER 5L at

<https://www.spcsupplies.com/products/sika-brick-and-patio-cleaner-5l/>

SIKA - SPC SUPPLIES

[Waterproofing Supplies:](#)

<https://www.spcsupplies.com/shop/waterproofing/>

[Admixtures and Building Chemical Supplies:](#)

<https://www.spcsupplies.com/shop/admixtures-and-building-chemicals/>

[Flooring and wall finishing Supplies:](#)

<https://www.spcsupplies.com/shop/flooring-and-wall-finishing/>

[Adhesives, Sealants and Filler Supplies:](#)

<https://www.spcsupplies.com/shop/adhesives-sealants-and-fillers/>

[Wood Preservative Supplies:](#)

<https://www.spcsupplies.com/shop/wood-preservatives/>

SIKA Brick and Patio Cleaner

Colour	Product Code	Pack Size	Box Qty
Yellow/Green	SKBC5	5ltr	4
	SKBC25	25ltr	1

Product Description

SIKA BRICK AND PATIO CLEANER is a fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, stone, concrete, paving slabs and earthenware. Can be cleaned up after use with cold water.

Benefits

- Removes mortar, cement, efflorescence, stains and dirt.
- Fast acting acid based formula.
- For paving tiles, concrete and brickwork.

Areas For Use

- Cleans stains from brickwork, natural stone, concrete and earthenware.
- Cleans stains from patios.
- Cleans garage and factory floors.

Limitations

- Always read label before use and wear suitable protective equipment
- Take care when working on interior surfaces and with artificial stone.
- Always test a small area before applying to the entire surface. On very sensitive surfaces, a 1:2 (cleaner to water) dilution as a trial is recommended.
- Always wash the surface down after treatment.
- Protect plants and animals from contact when using.
- it is the users responsibility to determine suitability for use. If in any doubt contact technical services for advice.

Application

ALWAYS TEST A SMALL INCONSPICUOUS AREA PRIOR TO FULL APPLICATION. Use the product neat. Mask up any adjacent surfaces to prevent damage. Protect plants and grass etc. form overspray/run off. Brush or spray on the cleaner, working well into stain and leave for 15 - 20 minutes. After this time, use a hard bristle to remove the stain. Finally, wash down the area with water, preferably with a hose, before the product dries. Take care not to allow residues to run directly into fresh watercourses.

CAUTION – COLOURED PAVING AND BLOCKS.

This product is extremely aggressive and can discolor certain types of paving flags and blocks. when applying to these substrates ALWAYS carry out a trial on an unseen area before applying.

Specific Data

TEST	RESULT
Appearance	Yellow/Green liquid.
Specific Gravity @ 20°C	1.05-1.15
Active Content	9.0 – 9.9%
pH	Approx. 1
Usage rate	10m ² per litre depending on porosity of substrate

Health & Safety

Consult MSDS for full list of hazards.

Storage

Store in cool dry conditions away from direct sunlight between +5 and +40°C. Avoid contact with or storage near bleach/strong alkalis. Store locked up away from children.

Shelf Life

24 months from date of manufacture in unopened containers.

The technical data contained herein is based on our present knowledge and experience and we cannot be held liable for any errors, inaccuracies, omissions or editorial failings that result from technological changes or research between the date of issue of this document and the date the product is acquired. Before using the product, the user should carry out any necessary tests in order to ensure that the product is suitable for the intended application. Moreover, all users should contact the seller or the manufacturer of the product for additional technical information concerning its use if they think that the information in their possession needs to be clarified in any way, whether for normal use or a specific application of our product. Our guarantee applies within the context of the statutory regulations and provisions in force, current professional standards and in accordance

with the stipulations set out in our general sales conditions. The information detailed in the present technical data sheet is given by way of indication and is not exhaustive. The same applies to any information provided verbally by telephone to any prospective or existing customer.